

Cutimed® Gel

Gentle and effective hydration and debridement



Dissolving the
barriers to healing.

Clearly effective hydration for healing and autolytic

Crystal clear Cutimed® Gel is indicated in the management of dry to low exuding wounds and effective autolytic debridement of slough and eschar



Reliable and safe debridement of necrotic and slough tissue

- The moisturizing properties of Cutimed® Gel insure appropriate wound hydration and support autolytic debridement.
- Cutimed® Gel is the gentle and effective way to dissolve slough and necrosis and to insure optimal hydration of dry wounds.
- Cutimed® Gel strikes the right balance of viscosity and adherence. The gel adheres to a spatula for precise application and remains conveniently in place when covered by a secondary dressing.

Indications

- Supports autolytic debridement in necrotic and sloughy wounds
- Provides moisture to dry wounds, even in later stages of wound healing

Preservative free formulation

Cutimed® Gel presents a low risk of allergic or sensitivity reactions.

Practical and precise application options




Cutimed® Gel may be applied with the applicator provided, a spatula or directly from the tube, depending on location and shape of wound.



Sterile product, sterile handling

Both gel and applicator are sterilized by gamma radiation and applicator sterility is insured through the use of the “no touch” peel pouch.



Easy removal


Cutimed® Gel irrigates easily and completely from the wound, leaving no residue.

Available in three practical and convenient sizes

8 g	15 g	25 g
0.3 oz	0.5 oz	0.8 oz

Cost-effective options that deliver just the amount required without waste.

Superior moisture donation allows for less frequent dressing changes and effective debridement









Fluid donation (SMTL standard test, data on file)

Laboratory testing results are intended to illustrate a product's performance under controlled conditions. Actual use results may vary.



Debridement – pure and simple.

Cutimed® Gel

Ref. No.	Content	Pieces / Box	HCPCS
72610-00	8 g / .3 oz	10  + 10 	A6248
72610-01	15 g / .5 oz	10  + 10 	A6248
72610-02	25 g / .8 oz	10  + 10 	A6248

Suggested HCPCS Code

HCPCS Code listed is only suggested code; other codes may be more applicable depending on intended product use. Codes are subject to change without notice.

Wound Phase

-  Necrotic
-  Infected
-  Sloughy
-  Granulation
-  Epithelization

Wound Depth

-  Shallow
-  Deep
-  Shallow + deep

Exudate

-  Dry to low
-  Low to medium
-  Medium to high



Please refer to the product label and / or package insert for full instructions on the safe use of these products.

BSN medical Inc. 5825 Carnegie Blvd. Charlotte, NC 28209-4633
 Tel. (+1) 704 554 9933 Fax (+1) 704 358 4558 www.bsnmedical.com
 To order toll-free: BSN medical (+1) 800 552 1157

